

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Logo
Company name *	
Contact information *	
e-mail address	
Internet site *	
Additional information	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *						
Commercial name *						
Model number *						
Issue date *						
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🔛 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.



Model nu	nber *	Logo					
Issue dat	date *						
Product	Product environmental attributes - Legal requirements						
Item				Yes	No	n.a.	
P1	Hazardous subst	ances and preparations					
P1.1*		ly with the current European RoHS Directive. (See legal reference and N	OTE B1)				
P1.2*	Products do not c	ontain Asbestos (see legal reference).			Π		
D. (at		eference has no maximum concentration value.					
P1.3*		ontain Ozone Depleting Substances: Chlorofluorocarbons (CFC), carbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	alarida 11				
		ethyl bromide (see legal reference). Comment: Legal reference has no n		, 1-			
	concentration valu		aximum				
P1.4*		ontain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated				
	terphenyl (PCT) ir	preparations (see legal reference).					
P1.5*	Products do not co	ontain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car	bon atoms	in the			
P1.6*		t least 48% per mass of chlorine in the SCCP (see legal reference).) E				
P1.0	(see legal reference	nd prolonged skin contact do not release nickel in concentrations above (J,5 μg/cm²/	week			
		nit in legal reference when tested according to EN1811:2011-5.					
P1.7*		information about substances in articles is available at (add URL or mail	contact):				
			,				
P2	Batteries						
P2.1*		ains a battery or an accumulator, the battery/accumulator is labeled with	the dispose	al 🗌			
Do ot		on on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accun reference)	nulators do not contain more than 0,0005% of mercury or 0,002% of cadr	nium. (See	legal			
P2.3*		umulators are readily removable. (See legal reference)					
P3		cation & Eco design (ErP)					
P3.1*	The product is CE	-marked to show conformance with applicable legal requirements (see le	aal referen				
1 0.1		f Conformity can be requested at (add link or e-mail address):	garrereren				
P3.2*		lies with the Eco design requirements for energy-related products,					
	(see legal referen	ce).			_		
	Required informat	ion is; given in item P15 or added to this document,					
		available at (add URL):					
P4	Consumable mat						
P4.1*	If a photo conduct legal reference an	or (drum, belt etc.) is used in the product, it does not contain cadmium m	ax 0,01% (see			
P4.2*		I in the product, it does not contain cadmium max 0,1% by weight (see le	gal referend	ce).			
P4.3*	If the ink/toner for	nulation/preparation is classified as hazardous or contains a substance f	or which the	ere 🗌			
-		orkplace exposure limits, the product/packaging is adequately labeled ac					
	applicable regulat	ions and a Safety Data Sheet (SDS) in accordance with these requirement	nts is availa	able			
	(see legal referen						
P5	Product packagin	ng	a sector t				
P5.1*	hexavalent chrom	ackaging components do not contain more than 0,01% lead, mercur ium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)						
P5.3*	The product pack	aging material is free from ozone depleting substances as specified	in the Mo	ontreal			
	Protocol (see legal reference).						
Da		eference has no maximum concentration values.					
P6	Treatment inform						
P6.1*	information for rec	yclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" methods and the product is compliant with the mandatory requirements.

Model nu	umber *		Logo				
Issue da	te *						
		nental attributes - Market requirements (See General NOTE GN below) nental conscious design	I	Req	uire	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		```	/es	No	n.a.
P7	Design	ably requeling					
P7.1*		nbly, recycling t have to be treated separately are easily separable			_		
P7.2*		aterials in covers/housing have no surface coating.		L	-	╞	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.		L	-	╞	<u> </u>
P7.4*		rrs > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		L	-	╞	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	ailable too	ls [-	╞	
P7.6*	-	e easily separable. (This requirement does not apply to safety/regulatory labels).			-	╞	
17.0	Product			L			
P7.7*		g can be done e.g. with processor, memory, cards or drives			1		
P7.8*		g can be done using commonly available tools			=	H	<u> </u>
P7.9.		rts are available after end of production for: years		L			
P7.10		available after end of production for: years					
		and substance requirements					
P7.11*		over/housing material type (e.g. plastics, metal, aluminum):	tvpe:				
P7.12		materials of external electrical cables are PVC free.					
P7.13	Insulation	materials of internal electrical cables are PVC free.					
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cl g more than 25% post-consumer recycled content.	retardants	, and 📩			
P7.15		ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	5 g 🗌 are	e low			
P7.16		arded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		[
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without cor additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	nponents): , CAS #:	[
	according	emical specifications of flame retardants in printed circuit boards (without componer JISO 1043-4:	, .	[
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances, ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	/preparatio	ns in [
	<u>Alt. 2: </u> Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-4:	[
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which l the following Risk phrases; and Hazard statements:					
P7.20*		umer recycled plastic material content is used in the product (See NOTE B6):		Г			
	If YES; at a) Of to perc or	 least one of the two alternatives below shall be answered; tal plastic parts' weight > 25 g, the postconsumer recycled plastic material content entage of total plastic by weight) is %. weight of recycled material is g. 	(calculated	as a		_	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a NOTE B2 maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception for the substance has been tested for all of the hazards referred to by a certain customer. Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception for the substance components and bio-based plastic material. NOTE B5 source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain current of the hazards referred to be a certain current o

NOTE B6 printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *					Logo			
Issue date *									
Product	environm	nental attr	ibutes - Market re	quirements (conti	nued)		Requ	uiremer	nt met
Item							Y	es No	o n.a.
P7.21*			ance requirements (o						
P7.21* Biobased plastic material content is used in the product (See NOTE B7): If YES; at least one of the two alternatives below shall be answered;								IЦ	
	a) Of tota		parts' weight > 25 g,		ered; material content (calcul	ated as a perce	entage of		
	or b) The	weight of th	ne biobased plastic m	aterial is g.					
P7.22*			e from mercury, i.e. le		um mercury content pe	er lamp:	mg		
P8	Batteries	5							
P8.1*		hemical con	•						
P9			on (See NOTE B8)						
P9.1	For the p	roduct the f	ollowing power levels	or energy consumption	ons are reported:				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energ	у 🗌
	de for ENE		W	W	W				
Standby/c ENERGY	off mode for STAR Ope (I) products	rational	W	W	W				
	e for ENER		kWh/week	kWh/week	kWh/week				
(TEC= Ty	pical Energ	у							
			W	W	W				
			W	W	W				
			W	W	W				-=
			W	W	W				
			W	W	W				\dashv
			W	W	W				$- \frac{\Box}{\Box}$
Extornal		ly Efficiency	y Level (International	Efficiency Marking Pr					<u> </u>
Print/Scar		:	images per mir	ute					
		energy save							
P9.2*	Informati	on about the	e energy save function	n is provided with the	product.		E		
P10	Emissio								
D 40.4			eclared according to			a labora de la la			
P10.1	Mode	Mo	ode description		atistical upper limit A-w _{/A,c} (B)	eighted sound	power level,		
	Idle	*		*					
	Operation	n *		*					
	Other mo	ode							
	Measure	d according		ECMA-74 (only if not covered by	(FCMA-74)			_	_



NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Issue date * Product environmental attributes - Market requirements (continued) Requirement me Tem Yes No n.a Chemical emissions from printing products (See NOTE B10) Yes No n.a P10.2" Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28380)	Model nu	umber *						Logo			
Item Yes No n.a. Chemical emissions from printing products (See NOTE B10) Plo.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic	Issue dat	te *						-			
Item Yes No n.a. Chemical emissions from printing products (See NOTE B10) Plo.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic											
Chemical emissions from printing products (See NOTE B10) P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28380) other specify: P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): P13.2* Product packaging material type(s): weight (kg): P13.3* For product packaging material type(s): weight (kg): P13.4* Specify media for user and product documentation used)		environ	mental attribut	es - Market re	equirement	s (continued)					
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) , other specify: P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Image: Consumable materials for printing products P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. Image: Consumater Consumater Consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* Deckaging anterial type(s): weight (kg): Product packaging material typ	Item	Oh and a							Yes	NO	n.a.
Equipment (ISO/IEC 28360), other specify: P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	P10.2*	Test po	rformed according	n to ECMA-328	Determination	OTE B10)	ssion Rates from	Electronic			
Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Image: Complexity of the complexity of	F 10.2						Ission Rales nom	LIECTOTIC			
Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	P10.3										
Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).		Electrop	hotographic devi	ces: Ozone	Dust	Styrene	Benzene	TVOC			
P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Pin.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. Pin.3* 2-sided (duplex) printing/copying is an integrated product function. Pin.4* The product is delivered to end-user with default auto-duplex enabled. Product packaging material type(s): weight (kg): Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Product meets the requirements of the following voluntary program(s): ENERGY STAR®<td></td><td></td><td>• •</td><td></td><td>Dust</td><td>,</td><td>Benzene</td><td>TVOC</td><td></td><td></td><td>Ы</td>			• •		Dust	,	Benzene	TVOC			Ы
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): Product packaging material type(s): weight (kg): P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Not product documentation on paper media is chlorine-free: Image: Processed chlorine-free P13.5 (Please only complete this item if paper documentation used) User and product documents of the following voluntary program(s): Product preses specify: Totally chlorine-free Pro		Note: co	ompliance with ma	aximum emissio	n rates in ecc	labels to be decl	ared in P14.				
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging and documentation P13.1* Product packaging material type(s): Product packaging material type(s): Weight (kg): Product packaging material type(s): Weight (kg): P13.2* Product plastic primary packaging is free from PVC. P13.3* For product packaging not user and product documentation (tick box): Electronic	P11	Consur	nable materials	for printing pro	ducts						
EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13. Packaging and documentation P13.1* Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): P13.2* Product packaging is free from PVC. P13.3* For product primary packaging is free from PVC. P13.4* Specify media for user and product documentation (tick box): Electronic [], Paper [], Other [] P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Product category: Eco-label:	P11.1*	A Safet	y Data Sheet (SD	S) is available for	or the ink/tone	er preparation, eve	en if not legally red	quired (see P4.3).			
P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): weight (kg): Product plastic primary packaging is free from PVC. Image: Consumer recovered fiber content: P13.4* Specify media for user and product documentation (tick box): Electronic	P11.2*			onsumer recycle	ed fibers can	be used, provid	ed that it meets	the requirements	of		
P13 Packaging and documentation P13.1* Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic	P11.3*	2-sided	(duplex) printing/	copying is an int	tegrated prod	uct function.					
P13.1* Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): [Electronic	P11.4*	The pro	duct is delivered	to end-user with	default auto-	duplex enabled.					
Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content:	P13										
P13.2* Product plastic primary packaging is free from PVC.	P13.1*	Product	packaging mater	ial type(s):	wei	ight (kg):					
consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other	P13.2*					0 (0)					
Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Eco-label: Eco-label: Eco-label: Eco-label: Eco-label: Eco-label: Eco-label:	P13.3*					g, specify the co	ntained percentag	e of minimum po	st-		
User and product documentation on paper media is chlorine-free: Image: Constraint of the second	P13.4*				mentation (tic	k box):					
Elemental chlorine-free Image: Constraint of the following voluntary program(s): P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	P13.5	Úser an	d product docum								
P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:		Elemen	tal chlorine-free								
ENERGY STAR®Criteria version:Date:Product category:Eco-label:Criteria version:Date:Product category:Eco-label:Criteria version:Date:Product category:	P14	Volunta	ary programs:								
Eco-label:Criteria version:Date:Product category:Eco-label:Criteria version:Date:Product category:	P14.1	The pro	duct meets the re	quirements of th	ne following v	oluntary program((s):				
Eco-label: Criteria version: Date: Product category:		ENERG	Y STAR®	Criteria ver	rsion:	Date:	Produc	t category:			
			•••								
Additional information (See NOTE B11)	B/5					Date:	Produc	t category:			
	P15	Additio	nal information	See NOTE B11)						

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right when the street to declare further items, by positioning the cursor at the far right when the street to declare further items, by positioning the cursor at the far right when the street to declare further items, by positioning the cursor at the far right when the street to declare further items, by positioning the cursor at the far right when the street to declare further items, by positioning the cursor at the far right when the street to declare further items, by positioning the cursor at the far right when the street to declare further items, by position ing the cursor at the far right when the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the far right of the street to declare further items, by position ing the cursor at the str

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1