



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Logo
Company name *	
Contact information *	
e-mail address	
Internet site *	
Additional information	

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *					
Commercial name *					
Model number *					
Issue date *					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	Logo				
Issue date	e *					
Product	environmental attributes - Legal requirements	F	Require	ment	met	
Item	<u> </u>		Yes	No	n.a.	
P1	Hazardous substances and preparations					
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE	B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),					
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach					
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no m	aximum				
D4 4*	concentration values.	la ui a a ta al		_		
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych terphenyl (PCT) in preparations (see legal reference).	orinated				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb	on atoms in the				
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	on atomo in the		ш		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/week				
	(see legal reference).			_		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail	contact):				
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal		$\overline{}$		
. 2	symbol. Information on proper disposal is provided in user manual. (See legal reference)	ne diopoddi	Ш	ш		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium. (See legal				
	reference)	, ,				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).					
	The Declaration of Conformity can be requested at (add link or e-mail address):					
P3.2*	The product complies with the Eco design requirements for energy-related products,					
	(see legal reference).					
	Required information is; given in item P15 or added to this document,			Ш	Ш	
	available at (add URL):					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury	, cadmium and				
P5.2*	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the packaging materials are marked with abbreviations.	of the material(c)		$\overline{}$		
F J. Z	used (see legal reference).	or trie material(s)	Ш	Ш	Ш	
P5.3*	The product packaging material is free from ozone depleting substances as specified	in the Montreal				
	Protocol (see legal reference).					
D	Comment: Legal reference has no maximum concentration values.					
P6 4*	Treatment information			_	_	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that 12 the product is compliant with the mandatory requirements.

Annex B2 of ECMA-370 5th edition

Woder number			Logo				
Issue date *							
Produc	Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met						met
Item				INC	Yes		
P7	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design						
		mbly, recycling					
P7.1*		t have to be treated separately are easily separable					
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			Ħ	Ħ	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			Ħ	Ħ	Ħ
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	Ħ	Ħ
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available to	ools.	Ħ	H	H
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			H	+	\vdash
1 7.0	Product						
P7.7*		g can be done e.g. with processor, memory, cards or drives			$\overline{\Box}$		
P7.8*		g can be done using commonly available tools			Ħ	H	+
P7.9		· · · · · · · · · · · · · · · · · · ·					+
P7.10		arts are available after end of production for: years					- - -
P7.10		s available after end of production for: years					
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):					
F 7.11	Material		al type:				
P7.12		n materials of external electrical cables are PVC free.	л туро.				
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			Ħ	Ħ	Ħ
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%						+
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15		circuit boards, PCBs (without components) are low halogen: all PCBs > 2	25 g 🔲 a	re low			
	halogen as defined in IEC 61249-2-21. (See 1NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:						
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents	s):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	, CAS #:		Ш		
	Alt. 2: Cl	nemical specifications of flame retardants in printed circuit boards (without compone	ents) > 25	g			
		g ISO 1043-4:		_			
P7.18	<u>Alt. 1:</u> Fl	ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparat	tions in			
		ations above 0,1%:					
		cal name: , CAS #: (See NOTE B4)					
		ical name: , CAS #: " ical name: , CAS #: "					
			0.4				
D7.40		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104		_	 	<u> </u>	<u> </u>
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	nave bee	en			
	•	the following Risk phrases; and Hazard statements:	` D	- \			
D7 20*	The source(s) for these classifications is/are found at (add URL(s)): * Postconsumer recycled plastic material content is used in the product (See Note B6):						
P7.20*	FUSICONS	ounter recycled plastic material content is used in the product (see Note Bo):			Ш	Ш	Ш
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is g.						
·	b) The weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Applies to a product containing plastic parts whose combined weight exceeds 100 g with the expection of the hazards, cables, connectors and electronic components and bio-based plastic material.

CMA-370 5th edition printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Madal www.bass*

Model number *						Logo			
Issue date	*								
	environm	ental att	ributes - Market re	equirements (conti	nued)		Requirem		
Item	Yes No n.a.								
D7.04*		flaterial and substance requirements (continued)							
P7.21*	Biobased	bbased plastic material content is used in the product (See NOTE B7):							
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage								
			parts' weight > 25 g, by weight) is %		naterial content (calcu	ated as a perc	entage		
	or	iai piasiic	by weight) is 70						
		weight of	the biobased plastic m	naterial is g.					
P7.22*				less than 0,1 mg/lamp.					
Do		is used s	pecify: Number of lam	nps: and maxim	um mercury content pe	r lamp: ı	mg		
P8 P8.1*	Batteries	omical oc	mposition:						
P9			-						
P9.1			following power levels	s or energy consumption	ana ara rapartad:				
		oduct the				Г			
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and to	tandard for energest method *	у 📙	
EPS No-lo	ad								
(External p	ower suppl	ly /							
	ugged in the								
the produc	disconnecte	d from							
PTEC *	ι.)		W	W	W				
– –	ergy Consu	ımption	VV	VV	VV				
. ,									
ETEC *			kWh/year	kWh/year	kWh/year				
Annual En	ergy Consu	ımption	,	•	·				
External P	ower Suppl	y Efficiend	cy Level (International	Efficiency Marking Pro	otocol) * :				
Display res	solution * :	me	gapixels						
Default tim	e to enter e	energy sav	ve mode: minut	tes					
P9.2*		••		on is provided with the	product.		ПГ		
P9.3			ass (monitors only):	· ·	'				
P10	P10 Emissions								
1 10			Declared according to	ISO 9296 (See NOTE	B9)				
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level,								
	L _{WA,c} (B)								
	Idle	*			*				
	Operation								
	Other mod			1					
	Measured	according	_	ECMA-74					
			Other	(only if not covered by	/ ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *						Logo				
Issue date	*									
Product	environn	nental attributes	s - Market requiren	ments (conti	nued)		Re	equire	ment	met
Item								Yes	No	n.a.
		nagnetic emission								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):									
P12	Ergonon	nics for computin	g products							
P12.1*		<u> </u>			7 for visual display tec	hnologies.				
P12.2*	The phys	sical input device m	neets the requirements	ts of ISO 9995	and ISO 9241-410.					
P13		ng and document								
P13.1*		packaging material		weight (kg):						
		packaging material packaging material		weight (kg): weight (kg):						
P13.2*			kaging is free from P\						П	
P13.3*	For prod	luct primary corrug	ated fiberboard pack	kaging, specify	the contained perce	ntage of minim	um post-			
	consume	er recovered fiber o	ontent: %	3 3 7 7	·	J	·			
P13.4*			product documentation	on (tick box):						
	Electroni	c, Paper, (Other							
P13.5	(Please	only complete this	tem if paper documer	ntation used)						
	User and product documentation on paper media is chlorine-free:									
	Totally chlorine-free									
	Elementa	al chlorine-free						一		
	Processed chlorine-free									
P14	Voluntar	ry programs								
P14.1			irements of the follow	ving voluntary p	orogram(s):					
	=1.1=0.01	, 07. DO		_	_					
	ENERGY Eco-labe	/ STAR®	Criteria version: Criteria version:			oduct category: oduct category:				
	Eco-labe		Criteria version:			oduct category:				
P15		al information (S								
P9				description of	the tested product c	onfiguration:				
-						. g				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the tine to the tine to

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1